

## Crochet Set: Cardigan and Pants

1970s Crochet Pattern

Women's Sizes S and M



*Directions are for size S with changes for size M in parentheses*

**[More Crochet Clothing Patterns -->](#)**



[For More Vintage Patterns  
and Books Visit Our Amazon  
Author Page](#)

Click Here



amazon



[Our Books on Amazon](#)

[More Crochet Patterns](#)



**MATERIALS:** Reynolds Parfait (79% Orlon acrylic—21% Nylon, 30-gr balls), #1201 White. **For Jacket:** 15(17) balls; **For Pants:** 17(19) balls. Steel Crochet Hook, No. 2, OR SIZE TO OBTAIN GAUGE. 12 pearls to cover for buttons. 6" skirt zipper for pants.

**GAUGE:** 6 dc = 1"; 10 dc rows = 3".

**BLOCKING MEASUREMENTS:** **Jacket:** Bust (closed)—34(38)". Width of back at underarm—17(19)". Width of each front at underarm—8½(9½)". Width of sleeve at upper arm—12(13)". **Pants:** Waist—30½(34½)", can be drawn in to desired size. Length—41" or desired length.

### JACKET

**BODICE-BACK:** Start at lower edge, ch 96(108). Lace pat section will be worked later. **Row 1 (right side):** Dc in 4th ch from hook and in each ch across—94(106) dc, counting ch at beg of row as 1 dc. Ch 3, turn. **Row 2:** Sk first dc, dc in each dc across, dc in top st of starting ch. Ch 3, turn. **Row 3:** Sk first dc, dc in each dc across, dc in top of turning ch-3. Ch 3, turn—94(106) sts (always count turning ch-3 as 1 dc). Rep Row 3 for dc pat. Continue in dc and inc 1 st at each edge on next row and every 1" 4 times in all. (To inc: Work 2 dc in one dc.) Work even on 102(114) sts until piece measures 4½(5)" from beg.

**ARMHOLES:** **Next Row:** Sl st across 6(7) sts, ch 3 (to count as 1 dc), work across to last 5(6) sts. Ch 3, turn. Always dec in this manner when decreasing more than 1 st. Then dec 1 st each edge of every row 6(7) times. (To Dec: Work 2 sts off as 1 st.) Work even on 80(88) sts until armholes measure 7(7½)".

**NECK AND SHOULDERS:** **Next Row:** Work across 28(31) sts. Ch 3, turn. Working on this side only, dec 1 st at neck edge every row twice and **at same time**, from armhole edge dec 9 sts every row twice—8(11) sts rem. Break off and fasten. Leaving on last row before neck 24(26) sts free for back of neck, attach yarn at neck edge and work other side to correspond.

**LEFT FRONT:** Start at lower edge, ch 49(55). Work in dc same as Back on 47(53) sts for 3 rows. Continue in dc and inc 1 st at end of next row—side edge and at same edge every 1" four times in all. Work even on 51(57) sts until piece measures same as Back to underarm, end at side edge.

**ARMHOLE AND NECK:** At side edge sl st across 6(7) sts, ch 3; complete row. Dec 1 st at each edge every row 6(7) times. Then, keeping armhole edge straight, dec 1 st at neck edge every row 14(15) times. Work even on 26(29) sts until armhole measures same as on Back. Shape shoulder same as Back.

**RIGHT FRONT:** Work to correspond with Left Front, reversing shaping.

**SLEEVES:** Start at lower edge of dc section, ch 62(68). Work in dc same as Back on 60(66) sts for 3 rows. Continue in dc and inc 1 st at each edge of next row and every 1" six times in all. Work even on 72(78) sts until sleeve measures 7(7½)" from beg.

**TOP SHAPING:** **Next Row:** Sl st across 6(7) sts, ch 3, work across to last 5(6) sts. Turn. Now dec 1 st at each edge of every row 17(19) times. Dec 4 sts at each edge of next 2 rows. Break off and fasten—12 sts rem.

**FINISHING:** To Block, steam pieces very lightly through a damp cloth. Sew side, shoulder and sleeve seams. Sew sleeves in place.

**Shop my**  
**Amazon Store**



**Lace Lower Section:** Attach yarn to lower left front corner of bodice. Working along opposite side of starting chain, make 193(221) sc evenly along entire lower edge (it is necessary to inc a few sts to obtain a multiple of 14 sts, plus 11 to start lace pat). Ch 3, turn.

**Row 1:** Sk first sc, dc in next 8 sts, \*ch 5, sk 3 sts, work sc, ch 6 and sc all in next st; ch 5, sk 3 sts, dc in next 7 sts; rep from \* across, ending last rep sk 3 sts, dc in last 9 sts. Ch 3, turn.

**Row 2:** Sk first dc, dc in next 6 dc, \*ch 3, sk 2 dc, sc in next ch-5 lp, ch 3, sc in next ch-6 lp, ch 3, sc in next ch-5 lp, ch 3, sk 2 dc, dc in next 3 dc; rep from \* across, end ch 3, sk 2 dc, dc in next 6 dc, dc in top of ch-3. Ch 3, turn.

**Row 3:** Sk first dc, dc in next 6 dc, \*2 dc in ch-3 lp, ch 5, sk next ch-3, work sc, ch 6 and sc in next sc (this is sc worked in ch-6 of previous row), ch 5, sk next ch-3, 2 dc in next ch lp, dc in next 3 dc; rep from \* across, end ch 5, 2 dc in last ch-3, dc in next 6 dc, dc in top of ch-3. Ch 3, turn.

**Row 4:** Rep Row 2. **Row 5:** Rep Row 3. **Row 6:** Sk first dc, dc in next 6 dc, \*ch 3, sc in next ch-5 lp, ch 3, sc in next ch-6, ch 3, sc in next ch-5, ch 3, sk 2 dc, dc in next dc, **2 dc in next dc—inc made;** dc in next dc; rep from \* across, end ch 3, sk 2 dc, dc in next 6 dc, dc in top of ch-3. Always work last dc in top of turning ch-3. Ch 3, turn.

**Row 7:** Sk first dc, dc in next 6 dc, \*2 dc in ch-3, ch 5, sk next ch lp, work sc, ch 6 and sc in next sc; ch 5, sk next ch-3, work 2 dc in next ch-3, dc in each dc of next dc group; rep from \* across, end ch 5, 2 dc in last ch-3, dc in last 7 sts. Ch 3, turn.

**Row 8:** Sk first dc, dc in

next 6 dc, \*ch 3, make sc and ch 3 in each of next 3 ch lps; sk 2 dc, dc in each dc to within last 2 dc of same dc group, sk rem 2 dc; rep from \* across, end ch 3, sk 2 dc, dc in last 7 sts. Ch 3, turn.

**Row 9:** Rep Row 7. **Row 10:** Rep Row 8. **Row 11:** Rep Row 7. Ch 3, turn.

**Row 12:** Sk first dc, dc in next 6 dc, \*ch 3, make sc and ch 3 in each of 3 ch lps; sk 2 dc, dc in next 2 dc, 2 dc in next dc, dc in next dc; rep from \* across, end ch 3, sk 2 dc, dc in last 7 sts—**1 dc inc made at center of each dc group, except first and last group.** Ch 3, turn.

**Rows 13 through 17:** Rep Rows 7-8 alternately twice; then Row 7 once more. Ch 3, turn.

**Row 18:** Sk first dc, dc in next 6 dc, \*ch 3, sc and ch 3 in each of 3 ch lps; sk 2 dc, dc in next 2 dc, 2 dc in next dc, dc in next 2 dc; rep from \* across, end ch 3, sk 2 dc, dc in last 7 sts. Ch 3, turn.

**Rows 19 through 23:** Rep Rows 7-8 twice, then Row 7 once more. Ch 3, turn.

**Row 24:** Working as for Row 8, inc 1 dc at center of each dc group, except first and last group. Ch 3, turn—7 dc in each dc group. Rep last 6 rows (Rows 19 through 24) 3 more times—10 dc in each dc group, except first and last group, on last inc row. Now rep Rows 7-8 until length is about 15(15½)" from beg of lace pat, end with Row 8. Break off and fasten.

**Best Discount APPS To Use To Earn And Save Money**





**Sleeve Lace Section:** The same lace pat is worked on sleeves but in rounds instead of rows. With right side facing, attach yarn to sleeve seam, crochet 70(84) sc evenly along opposite side of starting ch at lower edge (multiple of 14 sts). Join with sl st to first sc. **Rnd 1:** Ch 3, dc in next 6 sc, \*ch 5, sk 3 sc, work sc, ch 6 and sc in next sc; ch 5, sk 3 sc, dc in next 7 sc; rep from \* around, end last rep ch 5, sk 3 sc. Join with sl st to top of ch-3. Do not turn. **Rnd 2:** Sl st in next 2 dc, ch 3, dc in next 2 dc, \*ch 3, sc and ch 3 in each of next 3 ch lps, sk 2 dc, dc in next 3 dc; rep from \* around, end ch 3. Join to top of ch-3. **Rnd 3:** Ch 3, dc in next 2 dc, \*2 dc in ch-3 lp, ch 5, sk next ch-3, work sc, ch 6 and sc in next sc, ch 5, sk next ch-3, work 2 dc in next ch-3 lp, dc in next dc; rep from \* around, end 2 dc in last ch-3. Join to ch-3. **Rnd 4:** Ch 3, \*2 dc in next dc—inc made; dc in next dc, ch 3, sc and ch 3 in each of 3 ch lps, sk 2 dc, dc in next dc; rep from \* around, end ch 3. Join to ch-3. **Rnd 5:** Ch 3, dc in each dc on first dc group, \*2 dc in ch-3, ch 5, sk next ch-3, work sc, ch 6 and sc in next sc, ch 5, sk next ch-3, 2 dc in next ch-3, dc in each dc on next dc group, rep from \* around, end 2 dc in last ch-3. Join to ch-3. **Rnd 6:** Ch 3, dc in each dc but last 2 dc of first group, \*ch 3, sk 2 dc, sc and ch 3 in each of 3 ch lps; sk 2 dc, dc in each dc but last 2 dc of dc group; rep from \* around, end ch 3. Join to ch-3. **Rnd 7:** Rep Rnd 5. **Rnd 8:** Ch 3, dc in next dc, \*2 dc in next dc, dc in next dc, Ch 3, sc and ch 3 in each of 3 ch lps, sk 2 dc, dc in next 2 dc; rep from \* around, end ch 3. Join to ch-3—5 dc in each dc group. Continue in this manner working pat as established and inc 1 dc in each dc group on Rnds 12, 16, 20, 24, 28 and 32—11 dc in dc

groups on 32nd rnd. Work 4 more rnds even—36 rnds in all. Break off and fasten. Finish other sleeve in same way.

**BUTTON (Make 12):** Ch 2. **Rnd 1:** Work 4 sc in 2nd ch from hook. **Rnd 2:** Work 2 sc in each sc around—8 sc. **Rnd 3:** \*Sc in next sc, sk 1 sc; rep from \* around—4 sc. Insert pearl. **Rnd 4:** Sc in each sc around. Break off leaving an 8" end for sewing. Thread end in a sewing needle and run through rem sts, draw up tightly and fasten, still leaving end for sewing button in place.

Starting at lower end of right front edge, sc evenly along front, across neck and down left front edges. Ch 1, turn. **Next Row:** Sc in each sc to start of neck shaping, drop yarn. With pins mark position of 11 button loops evenly spaced along right front edge, having first at beg of neck shaping, and last 2" from lower edge. Pick up dropped yarn, \* sc in each sc across to next pin, ch 5, sk 3 sc for button loop; rep from \* 10 more times; sc in each rem sc. Break off and fasten.

## PANTS

**Note:** Pants are made in two pieces with no side seams.

**FIRST SIDE:** Start at lower edge of solid dc section, ch 99(113). Work in dc same as Back of Jacket on 97(111) sts until Row 3 has been made; rep Row 3 until 2" from beg. Ch 3, turn. **Next Row (Inc Row):** Work as before over first 48(55) sts, including the ch-3; dc in next dc and mark this dc—center st; work last 48(55) sts. Move marker up each row to keep center st marked. Continue in dc and inc 1 st at each edge and inc 1 st each side of marked st on next row and every 2" six more times. (To inc: Work 2 dc in same st.) Work even in dc on 125(139) sts until piece measures 7" from beg.

**Crochet a Unique Color Combination with the Rolling Hills Ripple  
Crochet Throw Kit** 



**SHAPE CROTCH: Next Row:** Mark beg of this row for back seam. Sl st across 6(7) sts, ch 3 to count as 1 dc, work across to last 5(6) sts. Turn. (To dec: Work 2 sts off as 1 st.) Dec 1 st at back edge every row 11(12) times and **at same time**, dec 1 st at front edge every other row 3(4) times and dec 1 st each side of center marked st every other row 4 times. Work even on 93(103) sts until piece measures 8(8½)" from start of crotch, end at back edge. Ch 3, turn. Work short rows to shape back as follows: **Row 1:** Sk first dc, dc in next 59(65) sts, sl st in next st. Break off. Do not turn. **Row 2:** Attach yarn to top of ch-3 at beg of last row—back seam; ch 3, dc in next 39(45) sts, sl st in next st. Break off. **Row 3:** Attach yarn to back seam as before, ch 3, dc in next 25(31) sts, sl st in next st. Break off. **Row 4:** Attach yarn to back seam, ch 3, dc in next 11(17) sts, sl st in next st. Break off.

**SECOND SIDE:** Work same as First Side.

**FINISHING:** To block, steam pieces very lightly through a damp cloth. Sew inner leg and back seams. Starting at crotch, sew front seam for 3(3½)" (zip-

per will be sewn in later). Crochet 5 rows of sc along top edge, easing in edge with first row to desired size. Crochet 1 row sc across left front zipper opening; 2 rows across right front opening and make a button loop of ch 5, sk 3 sc, sc in next sc at top end on last row. Sew button opposite button loop. Sew zipper in place. If desired, face waistband with ribbon.

**Leg Lace Section:** Attach yarn to inner seam of one leg and crochet 98(112) sc evenly along opposite side of starting chain at lower edge (multiple of 14 sts). Join with sl st to first sc. Work lace pat same as for Sleeve of Jacket until Rnd 3 has been completed. **Rnds 4-7:** Rep Rnds 2 and 3 alternately twice. **Rnd 8:** Rep Rnd 4 of Sleeve Lace pat (inc rnd). **Rnd 9:** Rep Rnd 5. **Rnd 10:** Rep Rnd 6. **Rnds 11-16:** Rep Rnds 5 and 6 of Sleeve lace pat 3 times. **Rnd 17:** Rep Rnd 5. **Rnd 18:** Rep Rnd 8 (inc rnd) of Sleeve lace pat. Continue in this manner, working pat as established and inc 1 st at center of each dc group on rnds 24, 30, 36 and 44—9 dc in each dc group on 44th rnd. Work even in pat until length is about 15(15½)" from beg of lace pat or for desired length. Break off and fasten. Finish other leg in same way.

**FREE CROCHET LOG CABIN AFGHAN PATTERN**





## GENERAL INSTRUCTIONS

### ABBREVIATIONS

beg	begin(ning)
bl	block
ch	chain
cl	cluster
dc	double crochet
dec	decrease
dtr	double treble
hdc	half double crochet
inc	increase
incl	inclusive
lp(s)	loop(s)
p	picot
pat	pattern
pc	popcorn
rnd	round
sc	single crochet
sl st	slip stitch
sp	space
st(s)	stitch(es)
tog	together
tr	treble crochet
tr tr	triple treble

### FOUNDATION CHAIN

1. Make a slip knot on hook about 6 inches from end of yarn. Pull the one end of yarn to tighten knot.



2. Place hook between right index finger and thumb, holding hook as you would a pencil. Thread yarn over ring finger, under middle finger and over index finger, holding short end between thumb and middle finger. If more tension is desired, wrap yarn around little finger. Insert hook under and over strand.



3. Catch strand with hook and draw through loop. Make the chain the desired length. This is called the foundation chain.




### SINGLE CROCHET

4. Insert hook into second chain from hook, under the two upper strands.



5. Draw up a loop.



6. Yarn over hook.




7. Draw through the 2 loops, completing the single crochet. Inserting hook into next stitch, repeat from Step 4.



### HALF DOUBLE CROCHET

8. With yarn over needle, insert hook into third chain, under the two upper strands.



9. Draw up a loop.



10. Yarn over hook.



11. Draw through the 3 loops, completing the half double crochet.



### DOUBLE CROCHET

12. With yarn over needle, insert hook into fourth chain, under the two upper strands.



13. Draw up a loop.



14. Yarn over hook.



15. Draw through 2 loops.



16. Yarn over and through last 2 loops on hook, completing the double crochet.






## TREBLE CROCHET

17. Yarn over hook twice, then insert hook into 5th chain.



18. Draw up a loop.



19. Yarn over hook and through 2 loops.



20. Yarn over hook and through next 2 loops.



21. Yarn over hook and through last 2 loops, completing the treble crochet.



## DOUBLE TREBLE

22. Yarn over hook 3 times, insert hook under 2 top strands of 6th chain from hook and draw loop through the chain (5 loops on hook). Yarn over and draw through 2 loops at a time 4 times.



## TRIPLE TREBLE

23. Yarn over hook 4 times, insert hook under 2 top strands of 7th chain from hook and draw loop through chain (6 loops on hook). Yarn over and draw through 2 loops at a time 5 times.



## SLIP STITCH

24. Make foundation chain. Insert hook under top strand of 2nd chain from hook, yarn over. With single motion, draw through stitch and loop on hook. Insert hook under top strand of next chain, then yarn over and draw through stitch and loop on hook. Repeat to end of chain.



## TO TURN WORK

25. As stitches vary in length, each uses a different number of chain stitches to turn at the end of a row. Table below shows number of chain stitches needed to make a turn for each stitch:

Single crochet (sc)	Ch 1 to turn
Half double crochet (hdc)	Ch 2 to turn
Double crochet (dc)	Ch 3 to turn
Treble crochet (tr)	Ch 4 to turn
Double treble (dtr)	Ch 5 to turn
Triple treble (tr tr)	Ch 6 to turn

## AFGHAN STITCH

26. Make a chain the desired length. Counting loop on hook as first stitch, insert hook in next stitch and draw up a loop.



27. Keeping all loops on hook, draw up a loop in each chain stitch.



28. To work off loops: Yarn over hook and draw through first loop.



29. \* Yarn over hook and draw through 2 loops, repeat from \* across until all loops are worked off.



30. One loop remains, to count as first stitch of next row.



31. Insert hook under next vertical bar and draw up a loop, draw up a loop under each vertical bar across. At end, insert hook through double loop of last stitch and draw up a loop. This keeps edge firm.





**More Crochet**  
**Clothing Patterns**  
**Here...**

